



TAIL LIGHTS /

MAIN FEATURES

High power LED provides light source, equipped with precision light guide strip;
Fully sealed waterproof design, more secure and reliable.

高功率 LED 提供光源，配置精密光导条；全密封防水设计，更加安全可靠。

info@ytk-group.co.jp



WD300 /



外观时尚,弯月形位置灯,美观同时提供优良警示作用;高亮度红色刹车灯,骑行更安全;全密封防水设计,更加安全可靠;集位置灯、刹车灯和牌照灯于一体。

Stylish appearance, meniscus-shaped position light, beautiful and provide excellent warning; High-brightness red brake light, safer riding; Fully sealed waterproof design, more secure and reliable; Set position light, brake light and license plate light in one.

标准 /Approval	ECE / GB	装配 /Assemble Dimension	50/80mm
尺寸 /Size	L120mm W60mm H35mm	电压 /Voltage	DC 12V / 48V
重量 /Weight	92g	功率 /Power	位置灯+牌照灯 1.5W; 刹车灯 2.4W
防水 /Waterproof	IPX4	光源类型 /Light Source	LED
材料 /Material	PC+ABS		



WD216 /



高功率 LED 提供光源, 配置精密光导条; 全密封防水设计, 更加安全可靠。

High power LED provides light source, equipped with precision light guide strip; Fully sealed waterproof design, more secure and reliable.

标准 /Approval	尾灯 :StVZO/CE/GB ; 反射器 :E1A/Z	装配 /Assemble Dimension	50mm
尺寸 /Size	L90mm W40mm H16mm	电压 /Voltage	DC6-48V
重量 /Weight	46g	功率 /Power	0.5W
防水 /Waterproof	IPX4	光源类型 /Light Source	LED
材料 /Material	PMMA+ABS		



WD312 /



单套大功率 LED 光源、导光条设计通过精确的光学设计, 均匀的透射光波导经 Z 批准的 Integrated 反射镜, 遵守 GB/T 31887.1-2019 符合 ISO 6742-2015, 220° 超宽可视角度。

The single set of high-power LED light source and light guide bar design through precise optical design, uniform transmission light guide approved by Z Integrated reflector, comply with GB/T 31887.1-2019 conform to ISO 6742-2015, 220 ° super wide viewing angle.

标准 /Approval	尾灯 :StVZO/CE/GB ; 反射器 :E1A/Z	装配 /Assemble Dimension	50/80mm
尺寸 /Size	L100mm W47mm H34mm	电压 /Voltage	DC 6-60V
重量 /Weight	42g	功率 /Power	0.6W
防水 /Waterproof	IPX4	光源类型 /Light Source	LED
材料 /Material	PMMA+ABS		



WD220 /



三组高功率 LED 提供光源, 配置精密光导条; 全密封防水设计, 更加安全可靠; 集位置灯、转向灯于一体, 功能强大。 Three sets of high-power LEDs provide light sources and are equipped with precision light guide strips; Fully sealed waterproof design, more secure and reliable; Set position light and turn signal in one, powerful.

标准 /Approval	尾灯 :CE / GB ; 反射器 :E1A	防水 /Waterproof	IPX4
尺寸 /Size	L95mm W45mm H19mm	电压 /Voltage	DC 6-60V
重量 /Weight	46g	功率 /Power	0.6W
防水 /Waterproof	IPX4	光源类型 /Light Source	LED
材料 /Material	PMMA+ABS		



WD186 /

高亮度红色环状刹车灯，为骑行提供安全可靠的预警提示；全密封防水设计，更加安全可靠；集位置灯、刹车灯和转向灯于一体。

High brightness red ring brake lights provide safe and reliable warning hints for riding; Fully sealed waterproof design, more safe and reliable; Integrated position light, brake light and turn signal.

尺寸 /Size	L124mm W32mm H52mm	安装孔距 /Installation Hole Distance	50mm/80mm 可选
重量 /Weight	105g	电压 /Voltage	DC 36V/48V 可选
防水 /Waterproof	IPX4	功率 /Power	2.5W
材料 /Material	PMMA+ABS	光源类型 /Light Source	LED



WD400 /

外观时尚，“U”形位置灯，美观同时提供优良警示作用；高亮度红色刹车灯，骑行更安全，左、右转向灯一体式设计；全密封防水设计，更加安全可靠；集位置灯、刹车灯、左、右转向灯和牌照灯于一体。

Stylish appearance, "U"-shaped position light, beautiful and provide excellent warning effect; High-brightness red brake lights, safer riding, integrated design of left and right turn signals; Fully sealed waterproof design, more secure and reliable; Set position lights, brake lights, left and right turn lights and license plate lights in one.

尺寸 /Size	L142mm W50mm H35mm	装配 /Assemble Dimension	50/80mm
重量 /Weight	107g	电压 /Voltage	DC 12V / 36-48V
防水 /Waterproof	IPX4	功率 /Power	位置灯 + 牌照灯 2W; 转向灯 2.4W; 刹车灯 3W
材料 /Material	PC+ABS+PMMA	光源类型 /Light Source	LED

NEW



WD332 /

位置灯符合新国标 GB / T 31887.1-2019 标准；高功率 LED 提供光源，配置精密光导条；全密封防水设计，更加安全可靠；集刹车灯、转向灯于一体，功能强大。

The position lamp conforms with the new standard GB / T 31887.1-2019; The light source provided by a powerful LED, and it equipped with the precise light guide; Fully sealed waterproof design, and more safe and reliable; Powerful function with the integrated braking and turning light.

标准 /Approval	GB	装配 /Assemble Dimension	50/80mm
尺寸 /Size	L100mm W36mm H34mm	电压 /Voltage	DC 48V
重量 /Weight	65g	功率 /Power	2.9W
防水 /Waterproof	IPX4	光源类型 /Light Source	LED
材料 /Material	PMMA+ABS		

GB

NEW



WD330 /

外形迷你、精致，全铝外壳，全密封防水设计；可搭配 WD216-RR 反射器组件。

Mini and exquisite, full aluminum casing, fully sealed and waterproof design. WD216-RR reflector assembly is matchable.

标准 /Approval	尾灯：ISO/ECE/GB	装配 /Assemble Dimension	50mm
尺寸 /Size	L62mm W34mm H16mm	电压 /Voltage	DC 6-12V
重量 /Weight	57g	功率 /Power	0.7W
防水 /Waterproof	IPX5	光源类型 /Light Source	LED
材料 /Material	PMMA+AL		

ISO ECE GB

MAIN FEATURES

Rear position lights (driving lights), brake lights, license plate lights, rear left and right turn lights, reflectors, tailgate brackets for light motorcycles; Dual-light strip-shaped rear position lights and highlight side reflective brake lights; Lead wire connection method; Ultrasonic welding process, more protective.

后位灯(行车灯)、制动灯、牌照灯、后左右转向灯、反射器、轻摩尾牌支架于一体;双光带状后位灯与高亮侧反配光刹车灯;采用无引线接线方式;超声波焊接工艺,防护性更强。



WD305 /

标准 /Approval	GB17510-2008
尺寸 /Size	L258mm H171mm D63mm(不含螺丝)
防水 /Waterproof	IPX5
材料 /Material	PC / ABS

电压 /Voltage	12V
光源类型 /Light Source	LED
装配 /Assemble Dimension	80mm



WD317 /

标准 /Approval	GB17510-2008
尺寸 /Size	L206mm H103mm D63mm(不含螺丝)
防水 /Waterproof	IPX5
材料 /Material	PC / ABS

电压 /Voltage	12V
光源类型 /Light Source	LED
装配 /Assemble Dimension	80mm



WD257 /

环形光带行车灯,中间类汽车型高亮刹车灯,尽显高端大气;一体式尾牌支架,合理的尾牌固定角度,经济实用;超声波焊接工艺,一体性和美观性更强;2颗 M5 锁紧螺母固定整灯,安全可靠。

Ring light with running lights, middle-type car type highlight brake lights, showing the high-end level; Integrated tail card bracket, reasonable tail card fixed angle, economical and practical; Ultrasonic welding process, more integrated and beautiful; Two M5 lock nuts secure the entire lamp, safe and reliable.

标准 /Approval	GB31887.1-2019	装配 /Assemble Dimension	80mm
尺寸 /Size	L140mm H41mm D38mm	电压 /Voltage	48V
防水 /Waterproof	IPX5	光源类型 /Light Source	LED
材料 /Material	PC	尾牌固定孔距 /Plate fitting width	50-95mm



WD257-2 /

环形光带行车灯,中间类汽车型高亮刹车灯,尽显高端大气;一体式尾牌支架,合理的尾牌固定角度,经济实用;2颗 M5 锁紧螺母固定整灯,安全可靠;配装反射器,夜间行车更安全。

Ring light with running lights, middle-type car type highlight brake lights, showing the high-end level; Integrated tail card bracket, reasonable tail card fixed angle, economical and practical; Two M5 lock nuts secure the entire lamp, safe and reliable; Equipped with reflectors, driving at night is safer.

标准 /Approval	GB31887.1-2019	装配 /Assemble Dimension	80mm
尺寸 /Size	L140mm H41mm D38mm	电压 /Voltage	48V
防水 /Waterproof	IPX5	光源类型 /Light Source	LED
材料 /Material	PC	尾牌固定孔距 /Plate fitting width	50-95mm





WD299 /



环形光带行车灯，中间类汽车型高亮刹车灯，尽显高端大气；一体式尾牌支架，合理的尾牌固定角度，经济实用；超声波焊接工艺，一体性和美观性更强；2颗 M5 锁紧螺母固定整灯，安全可靠。

Ring light with running lights, middle-type car type highlight brake lights, showing the high-end level; Integrated tail card bracket, reasonable tail card fixed angle, economical and practical; Ultrasonic welding process, more integrated and beautiful; Two M5 lock nuts secure the entire lamp, safe and reliable.

标准 /Approval	GB31887.1-2019	装配 /Assemble Dimension	80mm
尺寸 /Size	L140mm H41mm D38mm	电压 /Voltage	48V
防水 /Waterproof	IPX4	光源类型 /Light Source	LED
材料 /Material	PC	尾牌固定孔距 /Plate fitting width	50-95mm



WD257-3 /



环形光带行车灯，中间类汽车型高亮刹车灯，尽显高端大气；超声波焊接工艺，一体性和美观性更强；2颗 M5 螺钉固定整灯，安全可靠。

Ring light with running lights, middle-type car type highlight brake lights, showing the high-end level; Ultrasonic welding process, more integrated and beautiful; Two M5 lock nuts secure the entire lamp, safe and reliable.

标准 /Approval	GB31887.1-2019	装配 /Assemble Dimension	80mm
尺寸 /Size	L140mm H41mm D38mm	电压 /Voltage	48V
防水 /Waterproof	IPX5	光源类型 /Light Source	LED
材料 /Material	PC		



ZX255 /



标准 /Approval	GB17510-2008/GB31887.1-2019
尺寸 /Size	L46mm H34mm D35mm
防水 /Waterproof	IPX5

材料 /Material	PC/ABS
电压 /Voltage	轻摩 12V / 支持电自版 48V
光源类型 /Light Source	LED



ZXD1103 /



标准 /Approval	GB17510-2008/GB31887.1-2019
尺寸 /Size	L46mm H34mm D35mm
防水 /Waterproof	IPX5

材料 /Material	PC/ABS
电压 /Voltage	轻摩 12V / 支持电自版 48V
光源类型 /Light Source	LED



ZXD367 /



标准 /Approval	GB17510-2008/GB31887.1-2019
尺寸 /Size	L60mm H25mm D37mm
防水 /Waterproof	IPX5

材料 /Material	PC/ABS
电压 /Voltage	轻摩 12V / 支持电自版 48V
光源类型 /Light Source	LED



ZXD361 /



标准 /Approval	GB17510-2008/GB31887.1-2019
尺寸 /Size	L60mm H25mm D37mm
防水 /Waterproof	IPX5

材料 /Material	PC/ABS
电压 /Voltage	轻摩 12V / 支持电自版 48V
光源类型 /Light Source	LED