



HEAD LIGHTS /

MAIN FEATURES

Highlight LED with automotive-grade optical square lens to ensure driving safety at night; China standard with light requirements, clear cut-off line, anti-glare at night.

高亮LED搭配汽车级光学方形透镜，保障夜间行车安全；国标配光要求，清晰的明暗截止线，夜间防炫目。

info@ytk-group.co.jp



QDS273 /



高亮 LED 搭配汽车级光学方形透镜，保障夜间行车安全；醒目的 U 形日行灯，提升日间安全系数；大面积茶色视窗尽显高端大气；流线型一体式上盖防护，支持整车任意配色。性价比更高；国标配光要求，清晰的明暗截止线，夜间防炫目。 Highlight LED with automotive-grade optical square lens to ensure driving safety at night; Eye-catching U-shaped daytime running lights to improve daytime safety factor; Large area of brown window shows high-end level; The streamlined integrated cover protects the vehicle from any color. Higher cost performance; China standard with light requirements, clear cut-off line, anti-glare at night.

标准 /Approval	GB31887.1-2019
尺寸 /Size	L156mm W113mm H113mm
防水 /Waterproof	IPX4
电压 /Voltage	48V

光源类型 /Light Source	LED
中心照度 /Central Illumination	3.16m 150Lux
额定寿命 /Rated Life	15000h
蜂鸣器分贝值 /Buzzer Decibel Value	90±5dB



QDS265 /



高亮 LED 搭配汽车级光学方形透镜，保障夜间行车安全；醒目的环形日行灯，提升日间安全系数；纯平大茶色视窗搭配区块化电量显示，清晰不刺眼，高端而大气；一体式上盖防护，支持整车任意配色，更经济，更实用；国标配光要求，清晰的明暗截止线，夜间防炫目。 Highlight LED with automotive-grade optical square lens to ensure driving safety at night; Eye-catching circular daytime running lights to improve daytime safety factor; The large flat brown window with the block power display is clear and unobtrusive, high-end level; Integrated upper cover protection, supporting arbitrary color matching of the vehicle. More economical and practical; National standard light requirements, clear cut-off line, anti-glare at night.

标准 /Approval	GB31887.1-2019
尺寸 /Size	L150mm W114mm H114mm
防水 /Waterproof	IPX4
电压 /Voltage	48V

光源类型 /Light Source	LED
中心照度 /Central Illumination	3.16m 160Lux
额定寿命 /Rated Life	15000h
蜂鸣器分贝值 /Buzzer Decibel Value	90±5dB



QDS251 /



高亮 LED 灯组搭配汽车级大透镜保障夜间行车安全；环形日行灯，提高日间安全系数；轻摩大灯可切换远近光，适应不同行车需要；轻摩版为液晶仪表显示，国标版为高清 LED 区块显示。 Bright LED light set with car-grade large lens to ensure driving safety at night; Circular daytime running lights to improve the safety factor during the day; Light motorcycle headlights can switch between high and low lights to suit different driving needs; The light motorcycle version is displayed by a LCD instrument, and the China standard version is a high-definition LED block display.

标准 /Approval	轻摩 GB19152-2016, GB17510-2008 电自 GB31887.1-2019
尺寸 /Size	L177mm W128mm H139mm
防水 /Waterproof	IPX5
电压 /Voltage	轻摩版 12V / 电自版 48V

光源类型 /Light Source	LED
中心照度 /Central Illumination	电自版 3.16m 150Lux
额定寿命 /Rated Life	15000h
蜂鸣器分贝值 /Buzzer Decibel Value	90±5dB (电自版)



QDS253T /



高亮 LED 搭配汽车级光学方形透镜，保障夜间行车安全；醒目的环形日行灯，提升日间安全系数；纯平大茶色视窗搭配区块化电量显示，清晰不刺眼，高端而大气；一体式上盖防护，支持整车任意配色，更经济，更实用；国标配光要求，清晰的明暗截止线，夜间防炫目。 Highlight LED with automotive-grade optical square lens to ensure driving safety at night; Eye-catching circular daytime running lights to improve daytime safety factor; The large flat brown window with the block power display is clear and unobtrusive, high-end level; Integrated upper cover protection, supporting arbitrary color matching of the vehicle. More economical and practical; National standard light requirements, clear cut-off line, anti-glare at night.

标准 /Approval	GB31887.1-2019
尺寸 /Size	L150mm W123mm H113mm
防水 /Waterproof	IPX4
电压 /Voltage	48V

光源类型 /Light Source	LED
中心照度 /Central Illumination	3.16m 150Lux
额定寿命 /Rated Life	15000h
蜂鸣器分贝值 /Buzzer Decibel Value	90±5dB



QDS209-1 /



高亮 LED 搭配汽车级大透镜保障夜间行车安全；C 型高辨识度天使眼日行灯，有效提高日间安全系数；天使眼支持 LOGO 点亮，具有较高的识别度高；上盖和前罩框可随整车一体配色，通配性强；电显普通 LED、数码管两种可选。

High-bright LED with large automobile-grade lens to ensure driving safety at night; C-type high-recognition daytime running light, effectively improve the safety factor during the day; Daily light support LOGO lighting, with a high degree of recognition; The upper cover and the front cover frame can be matched with the whole vehicle, and the wildness is strong; Two options for ordinary LED and digital tube.

标准 /Approval	GB31887.1-2019
尺寸 /Size	L156mm W113mm H113mm
防水 /Waterproof	IPX4
电压 /Voltage	48V

光源类型 /Light Source	LED
中心照度 /Central Illumination	3.16m 150Lux
额定寿命 /Rated Life	15000h
蜂鸣器分贝值 /Buzzer Decibel Value	90±5dB



QDS163T /



高亮 LED 搭配汽车级光学方形透镜，保障夜间行车安全；醒目的环形日行灯，提升日间安全系数；大面积茶色视窗尽显高端大气；一体式上盖防护，支持整车任意配色，更经济，更实用；国标配光要求，清晰的明暗截止线，夜间防炫目。

Highlight LED with automotive-grade optical square lens to ensure driving safety at night; Eye-catching circular daytime running lights to improve daytime safety factor; The large brown window shows the high-end level; Integrated upper cover protection, supporting arbitrary color matching of the vehicle. More economical and practical; National standard light requirements, clear cut-off line, anti-glare at night.

标准 /Approval	GB31887.1-2019
尺寸 /Size	L147mm W112mm H117mm
防水 /Waterproof	IPX4
电压 /Voltage	48V

光源类型 /Light Source	LED
中心照度 /Central Illumination	3.16m 150Lux
额定寿命 /Rated Life	15000h
蜂鸣器分贝值 /Buzzer Decibel Value	90±5dB



QD295 /



高亮 LED 灯组搭配汽车级大透镜保障夜间行车安全；日行灯可选配天使眼，提高日间安全系数；大灯可切换远近光，适应不同行车需要；液晶仪表盘显示功能丰富；符合 3C 轻摩要求，适用于轻摩、三轮车。

Bright LED light set with car-grade large lens to ensure driving safety at night; The daytime running lights can be optionally equipped with daily light to improve the safety factor during the day; The headlights can switch between high and low beams to meet different driving needs; LCD display panel is rich in functions; Meet the requirements of 3C light motorcycle, suitable for light motorcycle and tricycle.

标准 /Approval	GB19152-2016, GB17510-2008
尺寸 /Size	L186mm W154mm H159mm
防水 /Waterproof	IPX4

电压 /Voltage	12V
光源类型 /Light Source	LED
额定寿命 /Rated Life	15000h



QD235 /



高亮 LED 搭配汽车级大透镜保障夜间行车安全；天使眼日行灯，日间醒目，提高日间行车安全系数；前罩框支持客户自主配色，提高整车一体性；灯头密封打胶处理，防水防尘等级可达到 IPX4。

Highlight LED with automotive-grade optical square lens to ensure driving safety at night; The front cover frame supports customers' self-matching colors and improves the integrity of the vehicle; The lamp cap is sealed and glued, and the waterproof and dustproof level can reach IPX4.

标准 /Approval	GB31887.1-2019
尺寸 /Size	L156mm W119mm H119mm
防水 /Waterproof	IPX4
电压 /Voltage	48V

光源类型 /Light Source	LED
额定寿命 /Rated Life	15000h
蜂鸣器分贝值 /Buzzer Decibel Value	90±5dB

NEW



QD313 /

高亮 LED 搭配汽车级光学方形透镜；具有清晰的明暗截止线，夜间骑行防对向炫目，提升行车安全；天使眼日行灯，日间醒目，提高日间行车安全系数。
 Highlight LED with automotive-grade optical square lens;
 With a clear cut-off line for light and dark, anti-dazzling riding at night to improve driving safety;
 The front cover frame supports customers' self-matching colors and improves the integrity of the vehicle;



标准 /Approval	GB31887.1-2019/GB19152-2016	光源类型 /Light Source	LED
尺寸 /Size	L140mm W140mm H73mm	额定寿命 /Rated Life	15000h
防水 /Waterproof	IPX4		
电压 /Voltage	48V/12V (轻摩)		



QD269 /

高亮 LED 搭配汽车级光学方形透镜；具有清晰的明暗截止线，夜间骑行防对向炫目，提升行车安全；天使眼日行灯，日间醒目，提高日间行车安全系数。
 Highlight LED with automotive-grade optical square lens;
 With a clear cut-off line for light and dark, anti-dazzling riding at night to improve driving safety;
 The front cover frame supports customers' self-matching colors and improves the integrity of the vehicle;



标准 /Approval	GB31887.1-2019	光源类型 /Light Source	LED
尺寸 /Size	L147mm W145mm H62mm	额定寿命 /Rated Life	15000h
防水 /Waterproof	IPX4		
电压 /Voltage	48V		



QDS271 /

高亮 LED 搭配汽车级光学方形透镜，保障夜间行车安全；醒目的环形日行灯，提升日间安全系数；大面积茶色视窗尽显高端大气；一体式上盖防护，支持整车任意配色，更经济，更实用；国标配光要求，清晰的明暗截止线，夜间防炫目。
 Highlight LED with automotive-grade optical square lens to ensure driving safety at night; Circular daytime running lights to improve the safety factor during the day; The large brown window shows the high-end level; Integrated upper cover protection, supporting arbitrary color matching of the vehicle. More economical and practical; National standard light requirements, clear cut-off line, anti-glare at night.



标准 /Approval	GB31887.1-2019	光源类型 /Light Source	LED
尺寸 /Size	L162mm W158mm H122mm	额定寿命 /Rated Life	15000h
防水 /Waterproof	IPX4	蜂鸣器分贝值 /Buzzer Decibel Value	90±5dB
电压 /Voltage	48V		





QD195T /



国标前灯升级为汽车级方透镜，灯光明暗截止线防炫目，极大提升夜间骑行安全；无边界上盖可供整车配色，完美搭配，自然相融。

The national standard headlights are upgraded to automotive-grade square lenses, and the cutoff lines of the light and dark are anti-glare, which greatly improves the riding safety at night;

The erless top cover can match the color of the whole vehicle, which is perfectly matched and blends naturally.

标准 /Approval	GB31887.1-2019
尺寸 /Size	L154mm W123mm H60mm
防水 /Waterproof	IPX4
电压 /Voltage	48V

光源类型 /Light Source	LED
中心照度 /Central Illumination	3.16m 150Lux
额定寿命 /Rated Life	15000h
蜂鸣器分贝值 /Buzzer Decibel Value	90±5dB



QDS233 /



高亮 LED 搭配汽车级光学方透镜；具有清晰的明暗截止线，夜间骑行防对向炫目，提升行车安全；清晰的区块化电显方案，实用且大气；大面积上盖支持整车配色，整车融合性更强。

Highlight LED with automotive-grade optical square lens; With a clear cut-off line for light and dark, anti-dazzling riding at night to improve driving safety; Clear block-based electric display solution, practical and high end level; The large-area cover supports the color matching of the whole vehicle, and the integration of the whole vehicle is stronger.

标准 /Approval	GB31887.1-2019
尺寸 /Size	L155mm W110mm H50mm
防水 /Waterproof	IPX4
电压 /Voltage	48V

光源类型 /Light Source	LED
中心照度 /Central Illumination	3.16m 150Lux
额定寿命 /Rated Life	15000h
蜂鸣器分贝值 /Buzzer Decibel Value	90±5dB



QD223 /



经济型前叉灯，适用于电动滑板车，电动折叠车，锂电车等；高亮 LED 搭配透镜保障夜间行车安全；支持选配超速提示音功能。

Economic front fork lights, suitable for electric scooters, electric folding bikes, lithium trams, etc ; Highlight LED with lens to ensure driving safety at night; Support optional speeding prompt sound function.

标准 /Approval	GB31887.1-2019
尺寸 /Size	L80mm W57mm H59mm
防水 /Waterproof	IPX4
电压 /Voltage	48V/36V

光源类型 /Light Source	LED
中心照度 /Central Illumination	3.16m 150Lux
额定寿命 /Rated Life	15000h
蜂鸣器分贝值 /Buzzer Decibel Value	90±5dB



QD259 /



经济型前叉灯，适用于电动滑板车、电动折叠车、锂电车等；支持选配超速提示音功能。

Economic front fork lights, suitable for electric scooters, electric folding bikes, lithium trams, etc ; Support optional speeding prompt sound function.

标准 /Approval	GB31887.1-2019
尺寸 /Size	L68mm W57mm H57mm
防水 /Waterproof	IPX4
电压 /Voltage	48V

光源类型 /Light Source	LED
中心照度 /Central Illumination	3.16m 150Lux
额定寿命 /Rated Life	15000h
蜂鸣器分贝值 /Buzzer Decibel Value	90±5dB



QD371 /



内置散热器，确保有效散热；支持光感控制；整灯多工艺严密防护，IPX6 级防水等级；整灯设置排气通道，防水且透气；整灯高强度防护材质，极适共享类使用。Built-in heat sink to ensure effective heat dissipation; Support light sensor control; The entire lamp is tightly protected by multiple processes and IPX6 waterproof; The entire lamp is equipped with an exhaust channel, which is waterproof and breathable; High-strength protective material for the entire lamp, ideal for shared use.

标准 /Approval	GB31887.1-2019
尺寸 /Size	L50mm W48mm H75mm
防水 /Waterproof	IPX6
电压 /Voltage	支持光控 48V/36V

光源类型 /Light Source	LED
中心照度 /Central Illumination	3.16m 120Lux
额定寿命 /Rated Life	15000h



QD303 /



高亮 LED 搭配透镜保障夜间行车安全；轻摩版和电自版可选，适用于电动两轮、三轮车。
 Highlight LED with lens to ensure driving safety at night ; Light motorcycle and national standard versions are optional, suitable for electric two-wheeled and tricycle Light motorcycle and national standard versions are optional, suitable for electric two-wheeled and tricycle.

标准 /Approval	轻摩 GB19152-2016/GB17510-2008 电自 GB31887.1-2019	光源类型 /Light Source	LED
防水 /Waterproof	IPX4	额定寿命 /Rated Life	15000h
电压 /Voltage	轻摩版 12V / 电自版 48V	组合套件 / Combination Kit	QD303+ZX301+DZ55



QD309 /



面板前大灯，均匀发光日行灯。轻摩远近光切换，电自大灯符合最新国标。
 The headlights on the front panel and the daytime running lights with bright light guide strips. Switch between light and far and near light, electric self-headlights comply with the latest national standard.

标准 /Approval	轻摩 GB19152-2016, GB17510-2008 电自 GB31887.1-2019	光源类型 /Light Source	LED
防水 /Waterproof	IPX4	额定寿命 /Rated Life	15000h
电压 /Voltage	轻摩版 12V / 电自版 48V	组合套件 / Combination Kit	QD309+ZX255+DZ59



QD329 /



面板前大灯，高亮导光条日行灯。轻摩远近光切换，电自大灯符合最新国标。
 The headlights on the front panel and the daytime running lights with bright light guide strips. Switch between light and far and near light, electric self-headlights comply with the latest national standard.

标准 /Approval	轻摩 GB19152-2016, GB17510-2008 电自 GB31887.1-2019	光源类型 /Light Source	LED
防水 /Waterproof	IPX4	额定寿命 /Rated Life	15000h
电压 /Voltage	轻摩版 12V / 电自版 48V	组合套件 / Combination Kit	QD329+ZX255+DZ63